



Introduction

Across languages with phonation contrasts, the phonation categories are distinguished by a variety of measures (e.g. Gordon & Ladefoged 2001), but these are inter-related and far outnumber the contrasting categories.

Our questions:

- What is a **low-dimension space** (acoustic, physiological) for voice quality?
- How are the phonation categories of different languages **located** in this space?

Language Samples

We compare contrastive and other phonations of 10 languages from 4 groups

Here we report results from 7 languages with both audio and EGG recordings – about 13,000 tokens

- **Bo** (Tibeto-Burman)
Tonal; **tense vs. lax** (largely independent of pitch)
12 speakers in Yunnan, China (isolated words)
- **California English** (Indo-European)
Non-tonal; intonational creak
22 speakers in Los Angeles USA (isolated words)
NO EGG AVAILABLE; not reported here
- **Gujarati** (Indo-European)
Non-tonal; **modal vs. breathy**
10 speakers in Los Angeles (sentence-initial words)
- **Luchun Hani** (Tibeto-Burman)
Tonal; **tense vs. lax** (largely independent of pitch)
10 speakers in Yunnan, China (isolated words)
- **White Hmong** (Hmong-Mien)
Tonal; **modal vs. breathy** on one pitch; **creaky** low tone
32 speakers in St. Paul USA (isolated words)
- **Beijing Mandarin** (Sino-Tibetan)
Tonal; Tone 3 has **allophonic creak**
20 speakers in Beijing, China (disyllables)
- **Jalapa Mazatec** (Oto-Manguean)
Tonal; **modal vs. breathy vs. creaky** (crossed w/ tones)
16 speakers in Mexico (isolated wds in online archive)
NO EGG AVAILABLE; Not reported here
- **Black Miao** (Hmong-Mien)
Tonal; **modal vs. breathy** at one pitch, **creaky** low tone
pressed high tone)
15 speakers in Guizhou, China (isolated words)
Not reported here
- **Southern Yi** (Tibeto-Burman)
Tonal; **tense vs. lax** (largely independent of pitch)
12 speakers in Yunnan, China (isolated words)
- **Santiago Matatlán and San Juan Guelavia Valley Zapotec** (Oto-Manguean)
(Two varieties grouped together here)
Tonal; **creaky** large-falling tone and **breathy** small-f
alling tone
6 speakers in Los Angeles, USA (isolated words)

Acoustic Measures

Acoustic measures over time were made semi-automatically from the audio by **VoiceSauce** (Shue et al. 2011), a free UCLA program.

Spectral measures analyzed:


- **F0** by the STRAIGHT algorithm (Kawahara et al. 1999) for finding harmonics
- Corrected (*: Hanson 1995, Iseli et al. 2007) **harmonic amplitudes and differences:**
 - **H1*, H2*, H4*, A1*, A2*, A3***
 - **H1*-H2*, H2*-H4***
 - **H1*-A1*, H1*-A2*, H1*-A3***
- Noise measures (NOT REPORTED HERE)
 - **Cepstral Peak Prominence**
 - **Harmonic-Noise ratios**
 - **Subharmonic-harmonic ratio**

EGG Measures

Electroglottographic signals were recorded with the audio for 8/10 languages. Automated EGG measures were made by **EggWorks**, a free UCLA program.

EGG measures analyzed:


- **CQ_H: Contact Quotient**, here using the “hybrid” method with 3/7 threshold
- **PIC: Peak Increase in Contact** (the peak positive value in the EGG derivative, like DECPA (Michaud 2004))
- **PDC: Peak Decrease in Contact** (the peak negative value in the EGG derivative)
- **OP_DUR: Opening duration** (not included)
- **CL_DUR: Closing duration**
- **SQ: Skew quotient** (ratio of CL_DUR/OP_DUR)



Categories across languages

Boxplot of CQ_H of 16 phonation categories in 7 languages with EGG data.

- Categories mostly **cluster within a limited middle range** of values
- Within languages, **cross-category differences are often small**, although always statistically significant
- The “**same**” category can be very different across languages
- Languages with **more categories** do not necessarily have **less variable** categories




Low-dimensional phonetic spaces

Multi-Dimensional Scaling of spectral and EGG measures

- All 16 language-specific phonation categories in these 7 languages
- **Male speakers only**
- Data for each measure are normalized from 0 to 1 for all languages together
- **3-D solutions and 2-D planes of 3-D solutions are plotted**


Spectral measures

- **Dimension1** distinguishes some languages (relates to **H4*, A1*, A2*, A3***)
- **Dimensions 2+3** (right) together distinguish breathy vs. non-breathy along one diagonal, and group languages together by contrast types: **Gujarati** vs. **3-category languages** vs. **tense/lax languages** (where Mandarin patterns)
- Differences on **Dimension2** relate most to **H1*-H2***; differences on **Dimension3** to **H1*-H2*, H1*-A1*/A2*/A3***



EGG measures

- **Dimension 1** distinguishes some languages, and most **breathy/lax** vs. **creaky/tense** (relates most to SQ, PIC, PDC)
- **Dimension 3** distinguishes **modal** from others (relates to CQ, as does dim2)
- **Dimensions 1+3** together (right) distinguish **languages**, and **creaky/tense**



References & Acknowledgments

- Esposito, C. (2012) An acoustic and electroglottographic study of White Hmong tone and phonation., *Journal of Phonetics* 40, 466–476.
- Garellek, M. & P. Keating (2011) The acoustic consequences of phonation and tone interactions in Jalapa Mazatec, *J. International Phonetic Association* 41, 185–205.
- Gordon, M. & P. Ladefoged (2001) Phonation types: a cross-linguistic overview, *Journal of Phonetics* 29, 383–406.
- Hanson, H. M. (1995) *Glottal characteristics of female speakers*, Ph.D. Dissertation, Harvard.
- Iseli, M., Y.-L. Shue & A. Alwan (2007) Age, sex, and vowel dependencies of acoustic measures related to the voice source, *J. Acoustical Society of America* 121, 2283–2295.
- Kawahara, H., H. Katayose, A. de Cheveigné & R. D. Patterson (1999) Fixed point analysis of frequency to instantaneous frequency mapping for accurate estimation of F0 and periodicity, *EUROSPEECH '99*, 2781–2784.
- Kuang, J. (2011) Phonation contrast in two register contrast languages and its influence on vowel quality and tone, Proceedings of the ICPhS XVII, 146–149
- Kuang, J. (2012) Registers in tonal contrasts, to be presented at TAL 2012 in Nanjing
- Michaud, A. (2004) A Measurement from Electroglottography: DECPA, and its Application in Prosody, *Speech Prosody*, Nara, 633–636.
- Shue, Y.-L., P. Keating, C. Vicens, K. Yu (2011) VoiceSauce: A program for voice analysis, Proceedings of the ICPhS XVII, 1846–1849.

Thanks to NSF grant BCS-0720304; to Yen Shue for VoiceSauce and Henry Tehrani for EggWorks.

Conclusions

Low-dimensional phonetic spaces for phonation can be derived from acoustic and physiological measures of phonation. These spaces distinguish **languages** (speakers, recordings) as much as they do phonation **categories**.

- In the **spectral** space, **languages** seem to group together by **type of contrast**.
- In the **EGG** space, **phonation categories** in most of the languages seem to group together by **type of category**, with **breathy** the most variable category.